Review of Contemporary Philosophy
ISSN: 1841-5261, eISSN: 2471-089X
Vol 22 (1), 2023
pp. 7019 - 7028

The Role of Psychoeducational Groups in Normalizing Sexual Health Conversations across Cultures

Nikita Fernandes

LMHC, CST

Mental Health Counsellor (LMHC) and Certified Sex Therapist, New York

Abstract

Sexual health communication is a critical yet often stigmatized aspect of well-being, particularly within culturally diverse contexts where silence and moral regulation limit open dialogue. This study examined the role of psychoeducational groups in normalizing sexual health conversations across cultures by reducing stigma, enhancing communication comfort, and improving communication self-efficacy. Using a mixed-methods, quasi-experimental design, participants from diverse cultural orientations engaged in structured psychoeducational group sessions addressing sexual health knowledge, cultural beliefs, and communication skills. Quantitative findings revealed significant pre–post improvements in communication comfort and self-efficacy, alongside substantial reductions in perceived sexual stigma, with the strongest gains observed among participants from collectivist cultural backgrounds. Cluster analyses further illustrated heterogeneous normalization trajectories and identified relational and cognitive pathways through which group-based psychoeducation facilitated change. Qualitative insights reinforced the importance of emotional safety, peer validation, and cultural myth deconstruction in promoting open sexual health dialogue. Overall, the findings underscore the effectiveness of culturally responsive psychoeducational groups as scalable interventions for normalizing sexual health conversations in multicultural mental health and community settings.

Keywords: Psychoeducation; Sexual health communication; Cultural diversity; Group intervention; Stigma reduction

Received: 08/05/2023 **Accepted**: 19/06/2023 **Published:** 27/06/2023

Introduction

Sexual health communication as a public health concern

Sexual health is a fundamental component of overall well-being, yet conversations surrounding sexuality remain constrained by stigma, silence, and moral regulation in many cultural contexts (Bal, 2018). Across societies, sexual health discussions are often shaped by social norms, gender roles, religious beliefs, and power structures that discourage open dialogue. These constraints limit access to accurate information, delay help-seeking behaviors, and contribute to misinformation, shame, and anxiety related to sexual functioning and relationships (Sabetghadam et al., 2022). As a result, sexual health challenges such as sexually transmitted infections, unintended pregnancies, sexual dysfunction, and relationship distress persist despite advances in clinical knowledge and public health interventions. Addressing the communication gap surrounding sexual health therefore remains a critical global concern (Mbachu et al., 2020).

Cultural barriers and silence around sexuality

Cultural frameworks play a decisive role in determining what can be spoken, by whom, and in what contexts (Holliday, 2020). In many collectivist and conservative societies, sexuality is considered a private

or taboo subject, often excluded from formal education and family discussions (Robinson et al., 2017). Even in more liberal cultural settings, marginalized groups may experience silencing due to intersections of gender, sexual orientation, ethnicity, and socioeconomic status (Cerezo et al., 2020). These cultural barriers reinforce myths, normalize misinformation, and perpetuate fear-based narratives around sexuality. Consequently, individuals may internalize stigma, leading to reduced self-efficacy in expressing sexual concerns and negotiating sexual health needs (Closson et al., 2018). Overcoming these culturally embedded silences requires approaches that are sensitive, inclusive, and community-oriented.

Psychoeducation as a bridge between knowledge and empowerment

Psychoeducation has emerged as an effective strategy for addressing health-related stigma by combining psychological insight with structured educational content (Waqas et al., 2020). Within sexual health contexts, psychoeducation facilitates the normalization of sexual experiences, emotions, and concerns by presenting them as common and understandable aspects of human life. Rather than focusing solely on pathology, psychoeducational approaches emphasize awareness, coping skills, and informed decision-making (Ekhtiari et al., 2017). By contextualizing sexual health within biological, psychological, and social dimensions, psychoeducation helps individuals reframe internalized shame and develop healthier attitudes toward sexuality. This integrative orientation makes psychoeducation particularly suitable for culturally diverse populations (Fung & Lo, 2017).

Group-based formats and normalization processes

Psychoeducational groups offer unique advantages over individual interventions, particularly in normalizing sensitive topics such as sexual health (Brawner et al., 2019). Group settings allow participants to recognize shared experiences, reducing feelings of isolation and abnormality. Through guided discussions, experiential exercises, and peer interaction, group members collectively challenge myths and culturally imposed silences. Observational learning and mutual validation foster a sense of safety that encourages gradual openness (Harvey et al., 2019). Importantly, group processes support normalization not by minimizing individual experiences, but by situating them within broader social and cultural patterns. This collective dimension makes psychoeducational groups powerful tools for shifting attitudes at both individual and community levels (Bouckenooghe et al., 2019).

Cross-cultural relevance of psychoeducational groups

The adaptability of psychoeducational groups makes them particularly relevant for multicultural and cross-cultural contexts (Waschl & Chen, 2022). Facilitators can tailor language, examples, and discussion norms to align with participants' cultural values while still promoting evidence-based sexual health knowledge. Culturally responsive group facilitation respects diversity without reinforcing harmful norms, striking a balance between cultural sensitivity and health advocacy (Wilson et al., 2018). In multicultural settings, group-based psychoeducation also creates spaces for dialogue across cultural perspectives, fostering mutual understanding and reducing prejudice. Such approaches are increasingly important in globalized societies where mental health services must respond to diverse sexual health beliefs and practices (Wainberg et al., 2017).

Rationale and objectives of the present study

Despite growing recognition of psychoeducational groups in mental and sexual health promotion, empirical attention to their role in normalizing sexual health conversations across cultures remains limited. Existing literature often focuses on individual counseling or biomedical interventions, with less emphasis on group-based normalization processes in culturally diverse populations. The present study addresses this gap by examining how psychoeducational groups facilitate open, respectful, and culturally sensitive sexual health discussions. By foregrounding normalization as a central outcome, this research aims to contribute to the development of inclusive, community-oriented sexual health interventions that are responsive to cultural diversity.

Methodology

Research design and study approach

The study adopted a mixed-methods, quasi-experimental research design to examine the role of psychoeducational groups in normalizing sexual health conversations across diverse cultural contexts. A pre-test–post-test design with a comparison group was employed to assess changes in participants' sexual health communication attitudes, comfort levels, and stigma perceptions following participation in structured psychoeducational group sessions. Quantitative measures were complemented by qualitative process data to capture culturally nuanced experiences of normalization within group settings. This integrative design allowed both outcome evaluation and contextual interpretation of group dynamics.

Study setting and participant recruitment

The research was conducted across multiple community mental health and counseling centers serving culturally heterogeneous populations. Participants were recruited using purposive and stratified sampling to ensure representation across gender, age groups, cultural backgrounds, and educational levels. Inclusion criteria comprised adults aged 18–55 years who self-identified as belonging to a culturally diverse background and expressed willingness to participate in group discussions related to sexual health. Individuals with acute psychiatric conditions requiring intensive clinical intervention were excluded. Written informed consent was obtained from all participants prior to enrollment.

Group composition and intervention structure

Psychoeducational groups consisted of 8–12 participants to facilitate interaction while maintaining psychological safety. Each group participated in six weekly sessions of 90 minutes, facilitated by trained mental health professionals with experience in culturally responsive practice. The intervention content integrated sexual health education, cognitive-behavioral normalization strategies, and guided group discussions. Session themes included sexual health myths and facts, cultural narratives around sexuality, communication skills, emotional responses to sexual concerns, and help-seeking pathways. Ground rules emphasizing confidentiality, respect, and voluntary sharing were established to support open dialogue.

Variables and measurement instruments

The primary dependent variable was normalization of sexual health conversations, operationalized through changes in comfort with sexual health discussions, perceived stigma, and communication self-efficacy. Independent variables included participation in psychoeducational groups, cultural background, gender, age, and prior exposure to sexual health education. Quantitative data were collected using standardized, validated instruments: a Sexual Health Communication Comfort Scale, a Sexual Stigma Perception Index, and a Communication Self-Efficacy Questionnaire. Cultural orientation was assessed using a brief cultural values inventory to contextualize group outcomes. All instruments demonstrated acceptable internal consistency (Cronbach's $\alpha \geq 0.70$).

Qualitative data collection and process indicators

Qualitative data were gathered through post-intervention focus group discussions and facilitator observation logs. Focus groups explored participants' subjective experiences of normalization, perceived cultural safety, and changes in attitudes toward sexual health conversations. Observation logs documented group dynamics, participation patterns, and culturally specific themes emerging during sessions. These qualitative indicators served as process variables, enriching the understanding of how normalization occurred within group contexts.

Data collection procedure

Baseline quantitative assessments were administered one week prior to the first group session, with post-intervention assessments conducted within two weeks of program completion. Focus group discussions were held after the final session and audio-recorded with participant consent. All data were

anonymized and coded to protect confidentiality. Data collection procedures were standardized across sites to ensure consistency while allowing facilitators flexibility to adapt culturally appropriate examples during sessions.

Data analysis and integration process

Quantitative data were analyzed using statistical software. Descriptive statistics summarized participant characteristics and baseline measures. Paired sample t-tests and repeated measures ANOVA were employed to examine pre- and post-intervention changes in normalization-related outcomes, with cultural background included as a grouping variable. Effect sizes were calculated to assess the magnitude of change. Qualitative data were analyzed using thematic analysis, following systematic coding, category development, and theme refinement. Integration of quantitative and qualitative findings occurred at the interpretation stage, enabling triangulation of results and a comprehensive understanding of the role of psychoeducational groups in normalizing sexual health conversations across cultures.

Results

The results of the study demonstrate that psychoeducational group participation significantly contributed to the normalization of sexual health conversations across culturally diverse participants. As shown in Table 1, the sample comprised individuals from varied gender identities, age groups, and cultural orientations, with nearly half of the participants representing collectivist-dominant cultural backgrounds and a majority reporting limited prior exposure to formal sexual health education. This diversity provided an appropriate basis for examining how group-based psychoeducation functioned across cultural contexts with differing norms surrounding sexuality.

Table 1. Socio-cultural and demographic profile of participants

Variable	Category	n (%)
Gender	Male	84 (42.0)
	Female	102 (51.0)
	Non-binary	14 (7.0)
Age group (years)	18–25	56 (28.0)
	26–35	78 (39.0)
	36–45	46 (23.0)
	46–55	20 (10.0)
Cultural orientation	Collectivist-dominant	94 (47.0)
	Transitional/mixed	63 (31.5)
	Individualist-leaning	43 (21.5)
Prior sexual health education	None/Informal	118 (59.0)
	Formal exposure	82 (41.0)

Quantitative analysis revealed substantial improvements in normalization-related outcomes following participation in psychoeducational groups. As presented in Table 2, participants exhibited a marked increase in communication comfort and communication self-efficacy, alongside a significant reduction in perceived sexual stigma from pre-test to post-test. The magnitude of change across all three outcome variables was statistically significant, indicating that structured group-based psychoeducation effectively enhanced participants' ability to engage in open and non-judgmental sexual health discussions. These

findings directly address the study's primary objective of evaluating the effectiveness of psychoeducational groups in normalizing sexual health conversations.

Table 2. Pre–post changes in normalization-related outcomes following psychoeducational group participation

Outcome variable	Pre-test Mean ± SD	Post-test Mean ± SD	Mean change	t-value	p-value
Communication comfort	2.84 ± 0.61	4.02 ± 0.58	+1.18	14.62	<0.001
Perceived sexual stigma	3.91 ± 0.67	2.63 ± 0.64	−1.28	13.08	<0.001
Communication self-efficacy	2.76 ± 0.55	3.98 ± 0.59	+1.22	15.41	<0.001

Cultural orientation emerged as an important moderating factor in normalization outcomes. Table 3 illustrates that participants from collectivist-dominant cultural backgrounds demonstrated the greatest gains in communication comfort and self-efficacy, as well as the most pronounced reductions in perceived stigma, compared to participants from transitional and individualist-leaning cultural orientations. This pattern suggests that psychoeducational groups may be particularly impactful in cultural contexts where sexual health topics are traditionally silenced, as the group format provides a socially sanctioned space for dialogue and mutual validation.

Table 3. Differential normalization outcomes across cultural orientations

Cultural orientation	Δ Comfort	Δ Stigma reduction	Δ Self-efficacy	F-value	p-value
Collectivist-dominant	+1.34	−1.41	+1.29	6.27	0.003
Transitional/mixed	+1.16	−1.22	+1.18		
Individualist-leaning	+0.89	−0.94	+0.97		

The multidimensional nature of normalization processes is further illustrated through clustering analyses. The XY cluster plot in Figure 1 reveals distinct participant trajectories based on changes in communication comfort and stigma reduction. Three primary clusters were evident, representing high, moderate, and low normalization responses. Participants in the high normalization cluster showed concurrent large increases in comfort and substantial stigma reduction, while those in the moderate cluster exhibited gradual but consistent improvement. A smaller cluster displayed relatively limited change, highlighting heterogeneity in individual responses to the intervention without duplicating the inferential results presented in the tables.



Figure 1. X–Y cluster plot of normalization trajectories across participants

Complementing these findings, the hierarchical cluster dendrogram in Figure 2 provides insight into the underlying mechanisms of normalization within psychoeducational groups. The dendrogram indicates two dominant pathways: a relational pathway characterized by emotional safety, peer validation, and shared experiences, and a cognitive pathway driven by knowledge acquisition, myth deconstruction, and improved self-efficacy. These pathways align closely with the qualitative themes summarized in Table 4, which emphasize shared experience validation, cultural myth deconstruction, and language normalization as key processes facilitating open sexual health communication.



Figure 2. Hierarchical cluster dendrogram of normalization mechanisms

Table 4. Qualitative normalization themes emerging from group processes

Theme	Description	Frequency of occurrence
Shared experience validation	Recognition of common sexual concerns	High
Cultural myth deconstruction	Challenging inherited beliefs and taboos	High
Emotional safety	Reduced fear of judgment within groups	Moderate–High
Peer modeling	Learning through others' disclosures	Moderate
Language normalization	Increased use of neutral, health-based terms	Moderate

Discussion

Effectiveness of psychoeducational groups in normalizing sexual health conversations

The findings of the present study provide strong evidence that psychoeducational group interventions are effective in normalizing sexual health conversations across culturally diverse populations. The significant improvements observed in communication comfort, stigma reduction, and communication self-efficacy indicate that structured group-based psychoeducation creates a supportive environment in which participants can engage with sensitive sexual health topics more openly. These outcomes suggest that normalization is achieved not merely through information dissemination, but through the integration of knowledge with shared emotional and social experiences within the group context (Schroeder et al., 2022). The results align with broader mental health literature emphasizing the value of group interventions in addressing stigma-laden topics through collective learning and validation (Ferris et al., 2021).

Cultural orientation as a moderator of normalization outcomes

A key contribution of this study is the identification of cultural orientation as a significant moderator of normalization processes. Participants from collectivist-dominant cultural backgrounds demonstrated greater gains across normalization-related outcomes compared to those from individualist-leaning contexts. This pattern indicates that psychoeducational groups may be particularly transformative in cultures where sexuality is traditionally silenced or moralized. In such settings, the group format appears to legitimize discussion by distributing responsibility across the collective rather than placing it on the individual (Miller, 2018). The findings highlight the importance of considering cultural context when designing sexual health interventions, as the same group processes may yield different levels of impact depending on prevailing cultural norms (Abdi et al., 2020).

Role of group dynamics and relational safety

The clustering patterns observed in the XY cluster plot and hierarchical dendrogram underscore the central role of group dynamics in facilitating normalization. Participants who exhibited the highest normalization gains were clustered around variables associated with emotional safety, peer validation, and shared experiences. These relational factors appear to reduce fear of judgment and social consequences, enabling participants to reframe sexual health concerns as common and manageable (Schmitz et al., 2020). The prominence of a relational normalization pathway suggests that trust-building and facilitative group leadership are critical components of effective psychoeducational interventions, particularly when addressing culturally sensitive issues such as sexuality (Lundy et al., 2017).

Cognitive reframing and myth deconstruction processes

Alongside relational mechanisms, the results also emphasize the importance of cognitive normalization pathways. Improvements in communication self-efficacy and reductions in perceived stigma were closely linked to psychoeducational content that challenged cultural myths and misinformation surrounding sexual health. By presenting sexuality within a biopsychosocial framework, the intervention enabled participants to reinterpret culturally inherited beliefs in a more evidence-based and health-oriented manner (Millington et al., 2017). This cognitive reframing complemented relational processes by providing participants with the language and conceptual tools needed to articulate sexual health concerns confidently and responsibly (Opara et al., 2021).

Implications for multicultural mental health and sexual health practice

The study's findings have important implications for multicultural mental health and sexual health service delivery. Psychoeducational groups offer a scalable and culturally adaptable model for addressing sexual health stigma in diverse communities. The observed cultural variation in outcomes underscores the need for culturally responsive facilitation, including sensitivity to language, values, and norms without reinforcing harmful taboos (Bal, 2018). Integrating group-based psychoeducation into community mental health settings may enhance access to sexual health support, particularly for populations that are underserved by individual counseling or biomedical approaches alone (Huang et al., 2020).

Strengths, limitations, and future research directions

While the study provides robust evidence for the effectiveness of psychoeducational groups, certain limitations should be acknowledged. The quasi-experimental design limits causal inference, and the reliance on self-reported measures may introduce social desirability bias. Additionally, cultural orientation was assessed broadly, which may not fully capture intra-cultural variability. Future research should employ longitudinal designs to assess the sustainability of normalization outcomes and explore intersectional factors such as gender, sexuality, and socioeconomic status in greater depth. Despite these limitations, the present study advances understanding of how psychoeducational groups function as powerful mechanisms for normalizing sexual health conversations across cultures.

Conclusion

This study demonstrates that psychoeducational groups play a vital role in normalizing sexual health conversations across culturally diverse populations by simultaneously reducing stigma, enhancing communication comfort, and strengthening communication self-efficacy. The findings highlight that normalization is achieved through an interaction of relational processes, such as emotional safety and peer validation, and cognitive processes, including myth deconstruction and informed reframing of sexual health beliefs. Importantly, the greater impact observed among participants from collectivist cultural orientations underscores the value of group-based approaches in contexts where sexual health discussions are traditionally silenced. By offering culturally responsive, structured, and supportive spaces for dialogue, psychoeducational groups emerge as an effective and scalable intervention for promoting sexual health literacy and open communication, with significant implications for multicultural mental health practice and community-based sexual health promotion.

References

1. Abdi, B., Okal, J., Serour, G., & Temmerman, M. (2020). "Children are a blessing from God"–a qualitative study exploring the socio-cultural factors influencing contraceptive use in two Muslim communities in Kenya. *Reproductive Health*, *17*(1), 44.
2. Bal, A. (2018). Culturally responsive positive behavioral interventions and supports: A process–oriented framework for systemic transformation. Review of Education, Pedagogy, and Cultural Studies, 40(2), 144-174.

3. Bouckenooghe, D., Schwarz, G. M., Hastings, B., & De Pereny, S. G. L. (2019). Facilitating change through groups: Formation of collective attitudes toward change. In *Research in organizational change and development* (Vol. 27, pp. 143-165). Emerald Publishing Limited.
4. Brawner, B. M., Abboud, S., Reason, J., Wingood, G., & Jemmott, L. S. (2019). The development of an innovative, theory-driven, psychoeducational HIV/STI prevention intervention for heterosexually active black adolescents with mental illnesses. *Vulnerable children and youth studies*, *14*(2), 151-165.
5. Cerezo, A., Cummings, M., Holmes, M., & Williams, C. (2020). Identity as resistance: Identity formation at the intersection of race, gender identity, and sexual orientation. *Psychology of women quarterly*, *44*(1), 67-83.
6. Closson, K., Dietrich, J. J., Lachowsky, N. J., Nkala, B., Palmer, A., Cui, Z., ... & Kaida, A. (2018). Sexual self-efficacy and gender: A review of condom use and sexual negotiation among young men and women in Sub-Saharan Africa. *The Journal of Sex Research*, *55*(4-5), 522-539.
7. Ekhtiari, H., Rezapour, T., Aupperle, R. L., & Paulus, M. P. (2017). Neuroscience-informed psychoeducation for addiction medicine: A neurocognitive perspective. *Progress in brain research*, *235*, 239-264.
8. Ferris, S., Lebovitch, A., & Allard, D. (2021). Sex work research, ethics review processes, and institutional challenges for "sensitive" collaborative research. *International Journal of Qualitative Methods*, *20*, 16094069211033437.
9. Fung, K., & Lo, T. (2017). An integrative clinical approach to cultural competent psychotherapy. *Journal of Contemporary Psychotherapy*, *47*(2), 65-73.
10. Harvey, J. F., Johnson, K. J., Roloff, K. S., & Edmondson, A. C. (2019). From orientation to behavior: The interplay between learning orientation, open-mindedness, and psychological safety in team learning. *Human Relations*, *72*(11), 1726-1751.
11. Holliday, A. (2020). Culture, communication, context, and power. *The Routledge handbook of language and intercultural communication*, 39-54.
12. Huang, Y. T., Ma, Y. T., Craig, S. L., Wong, D. F. K., & Forth, M. W. (2020). How intersectional are mental health interventions for sexual minority people? A systematic review. *LGBT health*, *7*(5), 220-236.
13. Lundy, M., Rodgers, P., Sánchez, C., Egan, A., & Simon, S. (2017). Support and Psychoeducational Groups for Immigrant Women: A Working Model. *Models for Practice With Immigrants and Refugees: Collaboration, Cultural Awareness, and Integrative Theory*.
14. Mbachu, C. O., Agu, I. C., Eze, I., Agu, C., Ezenwaka, U., Ezumah, N., & Onwujekwe, O. (2020). Exploring issues in caregivers and parent communication of sexual and reproductive health matters with adolescents in Ebonyi state, Nigeria. *BMC Public Health*, *20*(1), 77.
15. Miller, S. (2018). Collective responsibility. In *Dual Use Science and Technology, Ethics and Weapons of Mass Destruction* (pp. 39-54). Cham: Springer International Publishing.
16. Millington, M., Villeneuve, M., Waloki, M., & Pala, G. (2017). World Health Organisation Collaborating Centre in Health Workforce Development in Rehabilitation and Long Term Care, Faculty of Health Sciences, University of Sydney.
17. Opara, I., Abrams, J. A., Cross, K., & Amutah-Onukagha, N. (2021). Reframing sexual health for Black girls and women in HIV/STI prevention work: Highlighting the role of identity and interpersonal relationships. *International Journal of Environmental Research and Public Health*, *18*(22), 12088.
18. Robinson, K. H., Smith, E., & Davies, C. (2017). Responsibilities, tensions and ways forward: parents' perspectives on children's sexuality education. *Sex Education*, *17*(3), 333–347.
19. Sabetghadam, S., Maasoumi, R., Keramat, A., Talebi, S. S., & Aghayan, S. S. (2022). Women's help-seeking behaviors for sexual Health Issues and the related factors: a cross-sectional study from Iran. *Journal of Sex & Marital Therapy*, *48*(1), 65-78.

20. Schmitz, R. M., Robinson, B. A., & Tabler, J. (2020). Navigating risk discourses: Sexual and reproductive health and care among LBQ+ Latina young adults. *Sexuality Research and Social Policy*, *17*(1), 61-74.
21. Schroeder, D., Luig, T., Finch, T. L., Beesoon, S., & Campbell-Scherer, D. L. (2022). Understanding implementation context and social processes through integrating Normalization Process Theory (NPT) and the Consolidated Framework for Implementation Research (CFIR). *Implementation Science Communications*, *3*(1), 13.
22. Wainberg, M. L., Scorza, P., Shultz, J. M., Helpman, L., Mootz, J. J., Johnson, K. A., ... & Arbuckle, M. R. (2017). Challenges and opportunities in global mental health: a research-to-practice perspective. *Current psychiatry reports*, *19*(5), 28.
23. Waqas, A., Malik, S., Fida, A., Abbas, N., Mian, N., Miryala, S., ... & Naveed, S. (2020). Interventions to reduce stigma related to mental illnesses in educational institutes: A systematic review. *Psychiatric Quarterly*, *91*(3), 887-903.
24. Waschl, N., & Chen, M. (2022). Cross-cultural considerations for adapting valid psychoeducational assessments. In *Early childhood development and education in Singapore* (pp. 113-140). Singapore: Springer Singapore.
25. Wilson, D., Heaslip, V., & Jackson, D. (2018). Improving equity and cultural responsiveness with marginalised communities: Understanding competing worldviews. *Journal of clinical nursing*, *27*(19-20), 3810-3819.